

# Fluorescent Lamp Spectralux® Plus NL-T8 36W/840/G13

## Logistic Data

Article No.	31109316
Code	NL-T8 36W/840/G13
Product EAN	4008597093166
Customs tariff no.	85393110
Box quantity (pcs.)	25
EAN Box	4008597493164
Gross weight of box in kg	5.82
Length of box in m	1.25
Width of box in m	0.15
Height of box in m	0.15
Pieces per palett	875
EAN Palett	4008597693168
ETIM Class	EC000108
ETIM class name	Fluorescent lamp

## Electric Parameters

Lamp nominal wattage	36 W
Nominal current (mA)	430
Compensation capacitor	4.5

## Light Application Parameters

Luminous flux	3350 lm
max. luminous flux at	25.0 °C
Radium light colour	white
Colour temperature	4000 K
Colour rendering index Ra	80-89
Colour rendering group	80-89 (Klasse 1B)
Mean luminance	1.2

## Service Life

Mean service life	20000 h
Info about service life	3B50, HF
Lampe survival factor at 2000h	0.99
Lampe survival factor at 4000h	0.99
Lampe survival factor at 6000h	0.99
Lampe survival factor at 8000h	0.99
Lampe survival factor at 8000h	0.90
Lumen maintenance at 2000h	0.95
Lumen maintenance at 4000h	0.92
Lumen maintenance at 6000h	0.91
Lumen maintenance at 8000h	0.90
Lumen maintenance at 12000h	0.89
Operation mode for LLMF/LSF	50 Hz

## Specification



Diameter max.	26 mm
Length max.	1200 mm
Controllable (in suitable circuit)	+
Energy Label	A
Suitable for indoors	Yes
Mercury content	2.5 mg
Base	G13
Lamp shape	Tube, two bases

## Notes on Operation

Starter / Ignitor	Starter; ECG
Ignition assured down to about (°C)	-20
Operation with ECG	+

## Miscellaneous


Alternative product	NL-T8 36W/880/G13
Type of exchange for alternative product	1:1 Direct exchange
Alternative product 2	NL-T8/IS 32W/840/G13
Type of exchange for alternative product 2	1:1 Direct exchange
Alternative product 3	NL-T8/XLR 36W/840/G13
Type of exchange for alternative product 3	1:1 Direct exchange
Alternative product 4	NL-T8/LR 36W/840/G13
Type of exchange for alternative product 4	1:1 Direct exchange
Alternative product 5	NL-T8/P 36W/840/G13
Type of exchange for alternative product 5	1:1 Direct exchange
ILCOS name	FD-36/840-E-G13-26
LBS name	T26 36W/840 G13

### Notes:

Fluorescent lamp Spectralux? Plus

## Notes

## Base




G13  
IEC/EN 60061-1  
sheet 7004-51-8

## Spectrum

Natural daylight is a mixture of direct sunlight and the light of the sky. Therefore, its spectral composition changes permanently due to the changing time of day. The standardised light classification D65 corresponds to a daylight with a colour temperature of approximately 6500 K.

Every fluorescent lamp type has got an individual spectral power distribution according to its phosphor coating inside the bulb. From this result important properties light colour or colour rendering.

Visible region from 380 to 780 nm; height of graph corresponding with relative spectral emission (400mW/klm) per 10nm.



light colour 840 Spectralux® white (21)

## General notes

The technical design data in accordance with DIN and IEC. The producer does not take any responsibility for damage to persons or property in case of unsuitable operation or handling of the product. Operating data and dimensions are valid within the usual tolerances. Related lamp types (different bases, mains voltages) may be available on request. Sale and delivery are effected in accordance with the Radium Terms of Delivery and Payment valid on the day of conclusion of contract. Packing units offer economical advantages to the purchase and logistic department. Please match your quantity volume accordingly. For orders of a minimum quantity (clefs) with a lamp model the amount lower than the volume of each packaging unit, we will invoice 10 % additional charge per lamp type. Technical changes and terms of delivery are reserved. Manipulation of any kind to packaging or product is not permissible as this will violate Radium brand rights. Furthermore, technical properties of the product can change to its disadvantage or even destruction. Therefore, Radium cannot be responsible for consequential damages. Subject to change without notice. Errors and omissions excepted. ® = Registered trademark

All technical data without guarantee.